



# Certificate of Analysis

## Customer Information

**Client:** The Kratom Connection  
**Attention:** orders@thekratomconnection.com  
**Address:** 898 Maestro Dr, Reno, NV 89511

## Testing Facility

**Lab:** Cora Science, LLC  
**Address:** 8000 Anderson Square, STE 113  
 Austin, Texas 78757  
**Contact:** info@corascience.com  
 (512) 856-5007

## Sample Image(s)



## Sample Information

**Name:** 09252501  
**Lot Number:** 092525  
**Description:** Finely ground plant material  
**Condition:** Good  
**Job ID:** ISO05160  
**Sample ID:** I14239  
**Received:** 06OCT2025  
**Completed:** 08OCT2025  
**Issued:** 10OCT2025

## Test Results

### Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 08OCT2025 | 0400

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.50	w/w%	0.0053	N/A
7-Hydroxymitragynine	Report Results	0.00615	w/w%	0.0014	N/A
Paynantheine	Report Results	0.281	w/w%	0.0053	N/A
Speciogynine	Report Results	0.214	w/w%	0.0053	N/A
Speciociliatine	Report Results	0.429	w/w%	0.0053	N/A
Total Mitragyna Alkaloids	Report Results	2.44	w/w%	0.0053	N/A

### Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 08OCT2025 | 1048

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.252	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.015	ug/g	0.002	PASS
Mercury	NMT 0.20	0.010	ug/g	0.002	PASS
Lead	NMT 5.00	0.480	ug/g	0.002	PASS

### Microbiological Examination

Method Code: T005

Tested: 06OCT2025 | 1301

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	330	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	60	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/25g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

## Additional Report Notes

---

N/A

---

## Revision History

---

rev 00 - Initial release.

---

## Abbreviations

---

**ID:** identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

---

## Authorization

---

This report has been authorized for release from Cora Science by:

**Signature:**

*Tyler West*

**Position:**

Laboratory Director

**Department:**

Management

**Name:**

Tyler West

**Date:**

10OCT2025